m

Ü

M

FIGS. 8A-8I provide top views of a simplified, exemplary fabrication sequence for producing an optical processor according to the present invention.

Please replace the paragraph beginning at line 25 of page 14 as shown.

FIGS. 7A-7I and FIGS. 8A-8I will be discussed in conjunction with one another to describe a simplified, exemplary fabrication sequence for producing an optical processor such as the example embodiment of the present invention described above. The fabrication sequence discussed corresponds to the alternative embodiment discussed with reference to FIG. 3, wherein actuation beam support posts 353 of upper mirror suspension structure 350 are omitted by coupling actuation beam 352 to mirror beam 316 of the lower mirror suspension structure 315; accordingly, formation of support posts 353 is unnecessary. FIGS. 7A-7I provide cross-sectional views, corresponding to a view along line 4 – 4 of FIG. 2, of an example fabrication sequence for producing an embodiment of one example of an optical processor according to the present invention. FIGS. 8A-8I provide top views of an example fabrication sequence for producing an embodiment of one example of an optical processor according to the present invention. Some features illustrated in FIGS. 7A-7I and FIGS. 8A-8I are only visible though other features; such features are included for completeness, and will be indicated as visible through another feature. Reference will be made to features of optical processor 200 in FIG. 3 where helpful.

REMARKS

In response to the Notice to File Corrected Application Papers mailed November 19, 2001, the specification has been amended to remove reference to FIGs. 7J, 7K, 8J, and 8K. The examination should proceed without such figures.

Also, substitute FIGs. 1- 10, having margins in compliance with 37 CFR 1.84(g), are enclosed.

CONCLUSION

In view of the foregoing amendments and remarks, examination is requested.

Art Unit: 2872

If there is a fee occasioned by this amendment, including an extension fee, please charge any deficiency to deposit account No.23/2825.

Respectfully submitted.

Erik R. Deutsch, Malcolm C. Smith, Michael A. Butler, and Stephen D. Senturia, Applicants

by Steven J. Henry, Reg. No.: 27,900

WOLF, GREENFIELD & SACKS, P.C.

600 Atlantic Avenue

Boston, MA 02210-2211

Tel. no. (617) 720-3500

Attorneys for Applicants

Attorney's Docket No. P0743/7001 (SJH) Dated: December **28**, 2001

ini. U.

==

Art Unit: 2872

Mark-Up showing Changes to Specification

Mark-up of the paragraph beginning at line 9 of page 6 as shown.

FIGS. 7A-7[K]I provide cross-sectional views of a simplified, exemplary fabrication sequence for producing an optical processor according to the present invention.

Mark-up of the paragraph beginning at line 11 of page 6 as shown.

FIGS. 8A-8[K]<u>I</u> provide top views of a simplified, exemplary fabrication sequence for producing an optical processor according to the present invention.

Mark-up of the paragraph beginning at line 25 of page 14 as shown.

FIGS. 7A-7[J]I and FIGS. 8A-8[J]I will be discussed in conjunction with one another to describe a simplified, exemplary fabrication sequence for producing an optical processor such as the example embodiment of the present invention described above. The fabrication sequence discussed corresponds to the alternative embodiment discussed with reference to FIG. 3, wherein actuation beam support posts 353 of upper mirror suspension structure 350 are omitted by coupling actuation beam 352 to mirror beam 316 of the lower mirror suspension structure 315; accordingly, formation of support posts 353 is unnecessary. FIGS. 7A-7[J]I provide cross-sectional views, corresponding to a view along line 4 – 4 of FIG. 2, of an example fabrication sequence for producing an embodiment of one example of an optical processor according to the present invention. FIGS. 8A-8[J]I provide top views of an example fabrication sequence for producing an embodiment of one example of an optical processor according to the present invention. Some features illustrated in FIGS. 7A-7[J]I and FIGS. 8A-8[J]I are only visible though other features; such features are included for completeness, and will be indicated as visible through another feature. Reference will be made to features of optical processor 200 in FIG. 3 where helpful.